

PRS150-SDI / PRS190-SDI  
Data Sheet

*Telescript Presidential  
Prompting Systems  
PRS150-SDI / PRS190-SDI*



**Telescript Presidential Prompting Systems  
PRS150-SDI / PRS190-SDI**

Designed to be an easy to transport, low profile, full sized public speaking system, the Telescript PRS-150 and PRS-190 do not disappoint. The Telescript displays measure a mere 2 inches thick and practically disappear to the audience while offering the presenter with a large clear image of their text. Then, when it is time to move on to the next venue or store the system away, a Telescript PRS system fits down into a single custom transport/storage case. The Telescript PRS-150/190 offer nothing to fear but fear itself!



	<b>PRS-150-SDI</b>	<b>PRS-190-SDI</b>
<b>Screen Size</b>	15" (38.1 cm) approx 2" thick	19" (48.26 cm)
<b>System weight</b>	17.5 lbs (7.94 kg) each side	20 lbs (9.07kg) each side
<b>Brightness</b>	1000 nits (HighBrite)	1000 nits (HighBrite)
<b>Backlight</b>	Backlight LED	Backlight LED
<b>Horizontal and Vertical image reverse</b>	Yes	Yes
<b>Power Supply</b>	DC12v/4a via 4 pin XLR	DC12v/4a via 4 pin XLR
<b>Inputs</b>	SDI, HDMI, VGA, Component, NTSC/PAL Composite Video, Loop	SDI, HDMI, VGA, Component, NTSC/PAL Composite Video, Loop
<b>Adjustable feet</b>	Yes	Yes
<b>Surround</b>	12" high matte black tri-fold semi-rigid	12" high matte black tri-fold semi-rigid
<b>Monitor Case Material</b>	Cool Rolled Steel	Cool Rolled Steel
<b>Pole</b>	19" (48.3 cm) Three-tier telescoping pole with 18" (45.7cm) extension	19" (48.3 cm) Three-tier telescoping pole with 18" (45.7cm) extension
<b>Beamsplitter</b>	10" (25.40) X 12" (30.5 cm)	12" (30.5 cm) X 14" (35.6 cm)


## PRS 150-SDI / PRS 190-SDI

- ✓ 15" (38.1 cm) or 19" (50.8 cm) LCD Flat Panel Prompter Monitor (SDI, HDMI, VGA, Component, NTSC/PAL Composite inputs) with built in Loop.
- ✓ Telescript UniBase (75mm and 100mm VESA Compatible)
- ✓ Adjustable Feet
- ✓ 19" (48.3 cm) Three-Tier Telescoping Pole with 18" (45.7cm) Extension
- ✓ Adjustable Beamsplitter Clamp
- ✓ 10" (25.40) X 12" (30.5 cm) or 12" (30.5cm) x 14" (35.6 cm) Beamsplitters
- ✓ 12" High Matte Black Tri-Fold Semi-Rigid Surround







## Telescript PRS-150 Top View Example



## Telescript PRS-150 Side View Example





TELESCRIPT

# Telescript's PRS System

*15" & 19" Presidential Prompting System*



## Features:

- *Lightweight VESA compatible base plates*
- *Inputs: SDI, HDMI, VGA, Component, NTSC/PAL Composite, Loop*
- *Backlit LED HighBrite monitors with standard 1000 nits*
- *2" clearance for cables*
- *Unique split pole and extension design*
- *Weight: 15" System - 17.5 lbs (7.94 kg) per side  
19" System - 20 lbs (9.07 kg) per side*
- *Built-in Image Reverse*
- *Tri-fold surrounds*
- *Optional slider accessory available*

## Optional Accessory



*Custom Foamed  
Rolling Case*

### *Kit Includes:*

*15" or 19" Backlit LED Flatpanel monitors with SDI, Telescript Unibases, adjustable feet,  
19" three-tier telescoping poles with 18" extensions, adjustable beamsplitter clamps,  
10" or 12" beamsplitters, 12" high matte black semi-rigid tri-fold surrounds*

*Telescript International, 55 Walnut Street, Norwood, NJ 07648 201-767-6733 info@telescript.com*